UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/789,525	02/27/2004	Richard James Cawthray	9192ML	7746
	7590 03/18/200 R & GAMBLE COMP.	EXAMINER		
Global Legal D	epartment - IP	ROBERTS, LEZAH		
Sycamore Build 299 East Sixth S	_	ART UNIT	PAPER NUMBER	
CINCINNATI,	OH 45202	1612		
		MAIL DATE	DELIVERY MODE	
			03/18/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary		Application	Application No. Applicant(s)						
		10/789,525		CAWTHRAY ET AL.					
			Examiner		Art Unit				
			LEZAH W. F	ROBERTS	1612				
٦ Period for F	The MAILING DATE of this commun Reply	nication appe	ears on the c	over sheet with the o	correspondence a	ddress			
WHICHE - Extension after SIX - If NO perion Failure to Any reply	TENED STATUTORY PERIOD F EVER IS LONGER, FROM THE M ns of time may be available under the provisions (6) MONTHS from the mailing date of this commod for reply is specified above, the maximum or reply received by the Office later than three months atent term adjustment. See 37 CFR 1.704(b).	MAILING DATES of 37 CFR 1.136 munication. tatutory period will a will, by statute, care	TE OF THIS (a). In no event I apply and will exause the applica	S COMMUNICATION , however, may a reply be tin expire SIX (6) MONTHS from tion to become ABANDONE	N. mely filed the mailing date of this (ED (35 U.S.C. § 133).				
Status									
1)⊠ R4	esponsive to communication(s) file	ed on <i>05 Jan</i>	nuary 2009						
·		2b)⊠ This a		n-final					
<i>′</i> —		<i>7</i> —			osecution as to th	e merits is			
,	☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.								
	·	ioo ariaor ex	parto qua,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	00 0.0.210.				
Disposition	of Claims								
4)⊠ CI)⊠ Claim(s) <u>1,2,4,11,14,25 and 26</u> is/are pending in the application.								
4a	4a) Of the above claim(s) is/are withdrawn from consideration.								
5) <u></u> CI	aim(s) is/are allowed.								
6)⊠ CI	6)⊠ Claim(s) <u>1, 2, 4, 11, 14, 25 and 26</u> is/are rejected.								
7)□ CI	aim(s) is/are objected to.								
8) <u></u> CI	aim(s) are subject to restric	ction and/or	election req	uirement.					
Application	Papers								
9)□ Th	e specification is objected to by th	e Examiner							
<i>,</i> —	•			nted or h) Objecte	ed to by the Exam	iner			
•	10)☑ The drawing(s) filed on <u>27 February 2004</u> is/are: a)☑ accepted or b)☐ objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).								
				-		ED 1 121/d\			
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).									
11/	11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.								
Priority und	ler 35 U.S.C. § 119								
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 									
2) Notice of 3) Informat	f References Cited (PTO-892) f Draftsperson's Patent Drawing Review (Fon Disclosure Statement(s) (PTO/SB/08) b(s)/Mail Date	PTO-948)	_) Interview Summary Paper No(s)/Mail D) Notice of Informal F) Other:	ate				

DETAILED ACTION

Applicants' arguments in the Request for Continued Examination, filed January 5, 2009, have been fully considered. Rejections and/or objections not reiterated from previous office actions are hereby withdrawn. The following rejections and/or objections are either reiterated or newly applied. They constitute the complete set presently being applied to the instant application.

The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

Claims

Claim Rejections - 35 USC § 103 - Obviousness - (New Rejections)

1) Claims 1, 2, 4, 11, 14, 25 and 26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Daifotis et al. (US 5,994,329) in view of Kelly (US 4,817,819).

Daifotis et al. disclose a method of inhibiting bone resorption by administering a bisphosphonate once a week (col. 6, lines 43-50). Administration periods may last from 1 month to about 20 years (col. 7, lines 61-67). The bisphosphonates include alendronate and risedronate. Kits include a card having the dosages oriented in the order of their intended use. An example of such a kit is a blister pack. Blister packs are well known in the packaging industry and are widely used for packaging pharmaceutical

unit dosage forms. If desired, a memory aid can be provided, for example in the form of numbers, letters, or other markings or with a calendar insert, designating the days in the treatment schedule in which the dosages can be administered. Alternatively, placebo dosages, or calcium or dietary supplements, either in a form similar to or distinct from the bisphosphonate dosages, can be included to provide a kit in which a dosage is taken every day (col. 13, lines 48-67). The reference differs from the instant claims insofar as it does not disclose the blister pack comprises a 4 unit dosages of the bisphosphonate and 24 unit dosages of calcium arranged in the order in accordance with Figure 3 or Figure 5.

Kelly discloses a container for tablets. The tablets are stored in a blister pack comprising enough spaces for a twenty-one-day or twenty-four-day cycle (see Abstract). It has been found that utilizing blister packs arranged in seven columns, one for each day, and either three rows or four rows to make up the 21-day or 28-day cycle, provides a satisfactory approach. The blister packs are stored in a container that is labeled with the day that the therapy begins. The reference differs from the instant claims insofar as it does not disclose the tablets are bisphosphonate and calcium.

It would have been obvious to one of ordinary skill in the art to use a blister pack with four rows with seven spaces each to use in the kits of Daifotis et al. motivated by the desire to use a blister pack and container that is labeled with the day therapy begins and is suitable for use for storing pills that are to be taken once a day.

In regards to claims 14 and 26, The Supreme Court has held that while the "teaching, suggestion, motivation" approach is a valid form of analysis under Graham v.

Art Unit: 1612

Deere, it is not the only one. See KSR v. Teleflex, 82 USPQ2d 1385 (U.S. 2007) at page 1397 where Justice Kennedy, speaking for a unanimous court, states:

The same constricted analysis led the Court of Appeals to conclude, in error, that a patent claim cannot be proved obvious merely by showing that the combination of elements was "obvious to try."... When there is a design need or market pressure to solve a problem and there are a finite number of identified, predictable solutions, a person of ordinary skill has good reason to pursue the known options within his or her technical grasp. If this leads to the anticipated success, it is likely the product not of innovation but of ordinary skill and common sense. In that instance the fact that a combination was obvious to try might show that it was obvious under §103.

It would have been obvious to one of ordinary skill in the art to have arranged the pharmaceuticals and nutrients as seen in Figure 5 motivated by the desire to arrange the components in a pattern that promotes dosing in a particular order. Since there are only a finite number of ways to arrange the pharmaceuticals and nutrients in the blister packs such as horizontally, vertically and in a circular pattern, it would have been obvious to arrange the components as seen in Figure 5¹.

2) Claims 1, 2, 4, 11, 14, 25 and 26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Daifotis et al. (US 5,994,329) in view of Allendorf et al. (US 5,265,728).

Daifotis et al. is discussed above and differ from the instant claims insofar as it does not disclose the blister pack comprises a 4 unit dosages of the bisphosphonate and 24 unit dosages of calcium arranged in the order in accordance with Figure 3 and Figure 5.

¹ In any case, a claimed device is not patentably distinct from the prior art if the claimed device would not perform differently than the prior art device. In Gardner v. TEC Systems, Inc., 725 F.2d 1338, 220 USPQ 777 (Fed. Cir. 1984), cert. denied, 469 U.S. 830, 225 USPQ 232 (1984).

Page 5

Allendorf et al. disclose a blister pack comprising enough spaces for a twenty-one-day or twenty-two-day cycle. The blister packs have a symbol for the where to start the disclosed therapy and arrows to ensure that the medication is taken in the right order. The packs may have four rows for 28-day-cycles comprising 7 spaces for each day. The reference differs from the instant claims insofar as it does not disclose the tablets are bisphosphonate and calcium.

It would have been obvious to one of ordinary skill in the art to use a blister pack with four rows with seven spaces each to use in the kits of Daifotis et al. motivated by the desire to use a blister pack and container that is labeled with which pill to start therapy with and has an arrow to direct a patient to the next pill to ensure the medication is taken in the right order.

In regards to claims 14 and 26, The Supreme Court has held that while the "teaching, suggestion, motivation" approach is a valid form of analysis under Graham v. Deere, it is not the only one. See KSR v. Teleflex, 82 USPQ2d 1385 (U.S. 2007) at page 1397 where Justice Kennedy, speaking for a unanimous court, states:

The same constricted analysis led the Court of Appeals to conclude, in error, that a patent claim cannot be proved obvious merely by showing that the combination of elements was "obvious to try."... When there is a design need or market pressure to solve a problem and there are a finite number of identified, predictable solutions, a person of ordinary skill has good reason to pursue the known options within his or her technical grasp. If this leads to the anticipated success, it is likely the product not of innovation but of ordinary skill and common sense. In that instance the fact that a combination was obvious to try might show that it was obvious under §103.

It would have been obvious to one of ordinary skill in the art to have arranged the pharmaceuticals and nutrients as seen in Figure 5 motivated by the desire to arrange the components in a pattern that promotes dosing in a particular order. Since there are only a finite number of ways to arrange the pharmaceuticals and nutrients in the blister

Art Unit: 1612

packs such as horizontally, vertically and in a circular pattern, it would have been obvious to arrange the components as seen in Figure 5 (see footnote 1).

Claims 1, 2, 4, 11, 14, 25 and 26 are rejected.

No claims allowed.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to LEZAH W. ROBERTS whose telephone number is (571)272-1071. The examiner can normally be reached on 8:30 - 5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Frederick F. Krass can be reached on 571-272-0580. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Application/Control Number: 10/789,525

Page 7

Art Unit: 1612

/Lezah W Roberts/ Examiner, Art Unit 1612

/Frederick Krass/ Supervisory Patent Examiner, Art Unit 1612